

LCD 24" Enterprise Display

NEC MultiSync® E244FL



The workspace essential

Driving down costs without compromising quality, the desktop E Series presents all the reliable performance you expect from Sharp, against a very competitive price tag.

With user comfort prioritised, workspace ergonomics is a key design feature. Height adjustability to 120 mm with swivel, tilt and pivot functionality ensures a personalised set up, whilst built-in Low Blue Light and Flicker-Free technology protects the viewers' eyes without sacrificing best picture quality. Available in black or white, choose the best fit to complement your office setting and ergonomics – white displays reduce the impression of tunnel vision when in front of white walls.

In addition to cost optimisation, the E244FL and E274FL come with embedded LAN and USB-C connectivity which contributes to minimal cabling as well as making the display the docking hub of workstation communications.

With a fresh On-Screen Display (OSD) design, users benefit from highly intuitive operation, saving time and frustration during set up and adjustment. This Full HD display with VA screen technology is well placed to equip the home office and small to medium sized businesses for general office applications.

Benefits

Improve your Productivity – with embedded LAN and USB-C, this display serves as a docking hub in your Personal Workspace.

Future-proof flexibility – wide connectivity provides high-level flexibility with LAN, DP, HDMI, USB Type C, USB A and audio output.

Safeguarding user wellbeing – built-in Low Blue Light technology filters out hazardous blue light emissions whilst Flicker-Free technology eliminates any backlight flickering, thus protecting the users' eyes against cataracts and macular degeneration.

Ergonomic Office – full height adjustability (120 mm), swivel, tilt and pivot functionality ensures perfect individual workspace set-up.

Best in form and function – future-ready design with 3-sided ultra-narrow bezel, available in black or white, plus optional VESA mount plate for thin client devices.

Specifications

Product Information

Product Name

NEC MultiSync® E244FL

Product Group

LCD 24" Enterprise Display

Order Code

60005866 (BK), 60005867 (WH)

Display

Panel Technology

VA TFT with W-LED backlight

Screen Size [inch/cm]

24 / 60

Screen Aspect Ratio

16:9

Pixel Pitch [mm]

0.275

Brightness (typ.) [cd/m²]

250

Contrast Ratio (typ.)

3000:1

Viewing Angle [°]

178 horizontal / 178 vertical (typ. at contrast ratio 10:1)

Response Time (typ.) [ms]

6

Colours [Mio.]

16.77

Synchronisation Rate

Horizontal Frequency [kHz]

31.5 - 81

Vertical Frequency [Hz]

50 - 75

Resolution

Optimum Resolution

1920 x 1080 at 60 Hz

Connectivity

Digital

1 x DisplayPort; 1 x HDMI; 1 x USB Type C (60 W); USB ver. 3.1 (2 down / 1 up)

Output Control

1x LAN/RJ45

Electrical

Power Consumption on Mode [W]

13 (Eco Mode 2); 19 (typ.)

Power Savings Mode [W]

0.3

Power Supply

integrated power supply

Environmental Conditions

Operating Temperature [°C]

+5 to +35

Operating Humidity [%]

20 to 80

Storage Humidity [%]

10 to 85

Storage Temperature [°C]

-10 to 60

Ergonomics

Height adjustable stand [mm]

120

Screen Tilt [°]

-5 to 25

Screen Swivel [°]

170 to -170

Screen Rotate [°]

-90 to 90 (landscape to portrait mode)

Mechanical

Bezel Type

3-sided Ultra Narrow Bezel

Bezel Width [mm]

1 (left/right/top); 16 (top and bottom)

Dimensions (W x H x D) [mm]

610.4 x 376.9 - 506.9 x 282.6 (Landscape mode); Without stand:
610.4 x 359.9 x 46.6

Weight [kg]

With stand: 5.9; Without stand: 3.8

VESA Mounting [mm]

100 x 100

Additional Features

Special Characteristics

Flicker Free; Low Blue Light

Colour Versions

Black Front Bezel, Black Back Cabinet; White Front Bezel, White
Back Cabinet

Cable Management

yes

Kensington security slot

yes

Plug and Play

VESA DDC2Bi

Audio

1W + 1W (De-activateable); Headphone Jack

Shipping Content

DisplayPort Cable; Power Cable; Setup Guide; USB-C Cable

Safety and Ergonomics

EnergyStar 8.0; Flicker-free; ISO 9241-307 (pixel failure class I); Low
Blue Light; RoHS; TCO 9.0; TÜV Ergonomics; TÜV GS; WEEE

Warranty

3 years warranty incl. backlight

Green Features

Energy Efficiency

Carbon footprint meter / Carbon savings meter; ECOMode

Ecological Standards

RoHS compliant; TCO 9.0

* EnergyStar 8.0

* TCO 9.0



RoHS



TÜV Ergonomics



TCO 9.0



TÜV GS

This document is © 2026 Sharp Display Solutions Europe GmbH.

All rights reserved in favour of their respective owners. All hardware and software names are brand names and/or registered trademarks of the respective manufacturers.
All specifications are subject to change without notice. Errors and omissions are excepted. 27.08.2026